CS: 1.9.22

1 of 5 Page:

Infosafe No™ HXO8J Issue Date : July 2014 ISSUED by MILL-ROSE

Product Name GAS SEAL TAPE

1. Identification

GHS Product Identifier

GAS SEAL TAPE

Company Name

Mill-Rose

Address

7310 Corporate Blvd

Mentor, Ohio 44060 USA

Telephone/Fax

(440) 9746730

Fax

Number

(440)2551072

Recommended use of the chemical and restrictions on use

Gas seal tape.

2. Hazard Identification

Classification of the substance or mixture Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health

and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for

the Transport of Dangerous Goods by Road and Rail. (7th edition)

3. Composition/information on ingredients

This product contains the following Information on

ingredients: -Polytetrafluoroethylene Composition

-Distillates (petroleum), hydrotreated

light -Pigment

Ingredients Name CAS Proportion

> Ingredients determined 100%

not to be hazardous

4. First-aid measures

Inhalation Not considered a potential route of exposure. However, if inhaled, remove

affected person from contaminated area. Keep at rest until recovered. If

symptoms develop and/or persist seek medical attention.

Ingestion Unlikely due to form of product. However, if ingested, do not induce vomiting.

Wash out mouth thoroughly with water. If symptoms develop seek medical

attention.

Skin Wash affected area thoroughly with soap and water. If symptoms develop seek

medical attention.

Eve contact Not considered a potential route of exposure. However if in eyes, hold eyelids

apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If

symptoms develop and persist seek medical attention.

First Aid Facilities Eyewash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone:

Australia 131 126) or a doctor.

5. Fire-fighting measures

Suitable

Use carbon dioxide, dry chemical or foam.

extinguishing

Under fire conditions this product may emit toxic and/or irritating fumes, media Hazards

smoke and gases including carbon monoxide, carbon dioxide, hydrogen

fluoride and oxides of nitrogen. **Products**

Specific hazards

from Combustion

Combustible. This product will readily burn under fire conditions.

arising from the

chemical

Not available Decomposition

Temp.

Print Date: 10/07/2014

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated Precautions in connection with Fire in positive pressure mode and full protective clothing to prevent exposure

to vapours or fumes. Water spray may be used to cool down heat-exposed



Page: 2 of 5

Product Name GAS SEAL TAPE

containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate personal protective equipment and clothing to prevent exposure. Collect the material and place into a suitable labelled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling Avoid exposure. Use only in a well ventilated area. Keep containers tightly closed. Prevent the build up of dusts, mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities. Store in a cool, dry, well-ventilated area, out of direct sunlight. Ensure that

Conditions for safe storage, including any incompatabilities Handling

storage conditions comply with applicable local and national regulations. Recommended operating temperatures: $-260\,^{\circ}\text{C}$ to

Temperatures Storage

Temperatures Storage

+260°C Store below 260°C.

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for decomposition products are given below:

Safe Work, Australia Exposure Standards:

Substance

TWA STEL NOTICES

Peak Limitation

Hydrogen fluoride

ppm mg/m³ ppm mg/m³

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day,

for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a $15\ \mathrm{minute}$ period which should not be exceeded at any time during a normal

eight-hour workday.

Peak Limitation: A ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding

15 minutes.

Biological

No biological limits allocated.

Limit Values

Appropriate engineering controls

Use with good general ventilation.

Respiratory Non

None required, when used as intended.

Protection Eye

Protection None required, when used as intended.

Hand Protection None required, when used as intended.

Body Protection

Suitable protective work wear, e.g. cotton overalls buttoned at neck and

wrist is recommended.

9. Physical and chemical properties

Appearance Solid polymeric film

Colour Yellow
Odour Odourless
Decomposition Not available

Temperature

Print Date: 10/07/2014 CS: 1.9.22



3 of 5 Page:

Issue Date : July 2014 Infosafe No™ HXO8J ISSUED by MILL-ROSE

GAS SEAL TAPE Product Name

Melting Point Not available Not available **Boiling Point** Solubility in Water Insoluble

Specific Gravity 2.1

Not applicable pН Not applicable Vapour Pressure Not available Vapour Density

(Air=1)

Evaporation Rate Not available **Odour Threshold** Not available Viscosity Not applicable Not available **Partition Coefficient:**

n-octanol/water

Flash Point Not applicable Flammability Not flammable **Auto-Ignition** Not self igniting

Temperature

Explosion Limit -

Upper **Explosion Limit -**

Lower

Reactivity

Not applicable

Not applicable

10. Stability and reactivity

Chemical Stability Stable under normal conditions of storage and handling.

Reacts with incompatible materials.

Heat and sources of ignition. Temperatures >260°C without Conditions to Avoid

adequate ventilation.

Strong oxidising agents. Alkali metals, extremely potent oxidisers e.g. Incompatible fluorine, chlorine tri-fluoride, 80% NaOH or KOH, metal hydrides such as Materials boranes (e.g. B2H6) aluminium chloride, ammonia, certain amines (R-NH2)

imines (RH-NH) and 70% nitric acid at temperatures near 260°C. Do not use on

oxygen lines.

Thermal decomposition may result in the release of toxic and/or Hazardous

Decomposition **Products**

irritating fumes including carbon monoxide, hydrogen fluoride and carbon dioxide. Carbonyl fluoride is the main decomposition product formed when PTFE is subjected to extended exposure at normal sintering temperatures (400°C). Carbonyl fluoride is immediately converted to highly corrosive

hydrogen fluoride in the presence of moist air. Reacts with incompatible materials.

hazardous reactions

Possibility of

11. Toxicological Information

Toxicology No toxicology data available for this product.

Information

No toxicity was observed in male/female rats fed PTFE (up to 25%) for 90 days. Local sarcomas were induced in mice and rats implanted subcutaneously or intraperitoneally with PTFE. However, this is not considered relevant to

normal industrial usage.

Ingestion Ingestion unlikely due to form of product. Ingestion of this product may

irritate the gastric tract causing nausea and vomiting.

Inhalation No adverse effects expected. The material is not normally an inhalation hazard

at temperatures below 260°C as it remains an inert solid. However, exposure to thermal degradation products at temperatures above 260°C or fumes from tobacco contaminated with particles of the product may result in polymer fume fever or influenza-like symtoms (chills, headaches, difficulty in breathing and fever).

Symptoms may appear several hours after exposure but will disappear within

Print Date: 10/07/2014 CS: 1.9.22



Page: 4 of 5

Infosafe No™ HXO8J Issue Date : July 2014 ISSUED by MILL-ROSE

Product Name GAS SEAL TAPE

24-48 hours. There are exposure standards for decomposition products.

Skin May be irritating to skin. The symptoms may include redness, itching

Not expected to be a respiratory sensitiser.

and swelling.

Eye Eye contact may cause mechanical irritation. May result in mild abrasion.

Respiratory

sensitisation Skin

Sensitisation Not expected to be a skin sensitiser.

Germ cell Not considered to be a mutagenic hazard.

mutagenicity

Carcinogenicity Polytetrafluoroethylene is listed as a Group 3: Not classifiable as to

carcinogenicity to humans according to International Agency for Research

on Cancer (IARC).

Reproductive Not considered to be toxic to reproduction.

Toxicity STOT-

single exposure Not expected to cause toxicity to a specific target organ.

STOT-repeated

Not expected to cause toxicity to a specific target organ.

exposure

Aspiration Hazard Not considered to be an aspiration hazard.

12. Ecological information

Ecotoxicity No ecological data are available for this material.

Persistence and

degradability

Not available

Mobility Not available
Bioaccumulative Not available

Potential

Other Adverse Not available

Effects

Environmental Prevent this material entering waterways, drains and sewers.

Protection

13. Disposal considerations

Disposal The disposal of the spilled or waste material must be done in accordance with

Considerations applicable local and national regulations.

14. Transport information

Transport Road and Rail Transport

Information Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by

IMDG Marine air. No

pollutant

Information

15. Regulatory information

Regulatory Not classified as Hazardous according to the Globally Harmonised System

of Classification and labelling of Chemicals (GHS) including Work, Health

and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule Not Scheduled

Print Date: 10/07/2014 CS: 1.9.22



Page: 5 of 5

Infosafe No™ HXO8J Issue Date : July 2014 ISSUED by MILL-ROSE

Product Name GAS SEAL TAPE

16. Other Information

Date of preparation or last revision of SDS Literature References SDS Reviewed: July 2014 Supersedes: April 2009

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH). Globally Harmonised System of classification and labelling of chemicals...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 10/07/2014 CS: 1.9.22